



ARDB
African Raptor DataBank

ARD 2019. AFRICAN RAPTOR DATABANK:
a secure, live data observatory for the
distribution and movements of African raptors.
Habitat Info Ltd, Solva, UK.
www.habitatinfo.com/ardb_observatory/
02/12/2019: 14:00:30

660 Eastern Pale Chanting-goshawk

Melierax poliopterus

IUCN Status **Least Concern**
IUCN (2019-2)

male mass = 548 g
female mass = 724 g
mean mass = 635 g

area requirement (of pair/2.2 individuals) = 14.88 km²

from Newton (1979) figure 10: area km² = 0.4 + (0.02 * female mass g)

replaced by direct measurement of field density where we have data

this figure is used for estimating density of breeding individuals and offspring in good habitat
we assume twice the area requirement in suboptimal habitat

and half the area requirement in optimal habitat

breeding population estimates represent theoretical maxima where habitat is saturated
nest-site limitation and the floating / non-breeding population are not yet fully accounted for

HABITAT SPACE ANALYSIS

	extent (km ²)	individuals	pairs
suboptimal 25-50% suitable	555088	41035	18652
good habitat 50-70% suitable	159186	23536	10698
optimal habitat 70-100% suitable	14768	4367	1985
total habitat 25-100% suitable	729042	68937	25851

reporting rate from mobile app survey data

2014 (26724 km) : 0.086066 birds per 100 km
2015 (87188 km) : 0.089462 birds per 100 km
2016 (81150 km) : 0.112138 birds per 100 km
2017 (57721 km) : 0.138599 birds per 100 km
2018 (19798 km) : 0.050511 birds per 100 km

